

# Mahoning County DOY & Public Schools 11<sup>th</sup> Grade PEP 2014 n=1339

**INSTRUCTIONS:** Please mark your answers on the sheet below. Please **DO NOT** answer questions about which you cannot be truthful, or any question your parents would not want you to answer. Your participation is completely voluntary and anonymous. Please **DO NOT** put your name on this survey.

Are you (select all that apply): %		Birth Year %		What Grade Are You In? %		Are You? %		Which of the following best describes your most recent report card?	
8.4	African American	1.6	1995	0.0	12 <sup>th</sup>	47.0	Male	16.7	Straight A's
1.3	Asian American	47.7	1996	100.0	11 <sup>th</sup>	50.5	Female	35.3	Mostly A's
81.1	Caucasian	49.1	1997	0.0	10 <sup>th</sup>			34.5	Mostly B's
4.9	Hispanic/Latino	0.1	1998	0.0	9 <sup>th</sup>			9.9	Mostly C's
2.1	Native American	0.1	1999	0.0	8 <sup>th</sup>			1.6	Mostly D's
4.0	Other	0.0	2000	0.0	7 <sup>th</sup>			0.2	Mostly F's
		0.0	2001					3.1	I Don't Know
		0.0	2002						
		0.1	Other						

IN THE LAST 30 DAYS, how many times did you:	0 times (no use) %	1-2 times a week %	2-5 times a week %	Almost every day %
Smoke a tobacco cigarette or cigar	86.3	7.5	1.7	3.8
Use smokeless tobacco	92.1	3.4	1.3	2.6
Drink alcohol (beer, wine, liquor)? <i>[Do not include religious use.]</i>	74.1	22.4	1.9	0.9
Use marijuana (pot, grass, blunt, reefer, hash)	88.6	6.0	2.0	3.0
Sniff or inhale something to get high	97.5	1.1	0.3	0.5
Use heroin	98.7	0.1	0.0	0.6
Use a prescription medication that was not prescribed to you:				
Rx pain medication ( <i>Oxycontin, Hydrocodone, Percocet, Vicodin, etc.</i> )	96.9	1.8	0.5	0.2
Rx stimulant ( <i>Adderal, Ritalin, "study aids".</i> )	96.8	1.7	0.5	0.3
Rx sedative ( <i>Xanax, Valium, etc.</i> )	97.9	0.7	0.3	0.2

IN THE NEXT 30 DAYS, do you think you will:	0 times (no use) %	1-2 times a week %	2-5 times a week %	Almost every day %
Smoke a tobacco cigarette or cigar	86.7	7.6	1.9	3.3
Use smokeless tobacco	92.1	4.0	0.9	2.7
Drink alcohol (beer, wine, liquor)? <i>[Do not include religious use.]</i>	73.3	22.5	2.8	0.9
Use marijuana (pot, grass, blunt, reefer, hash)	87.3	7.7	2.2	2.2
Sniff or inhale something to get high	97.5	1.3	0.1	0.6
Use heroin	98.5	0.3	0.0	0.5
Use a prescription medication that was not prescribed to you:				
Rx pain medication ( <i>Oxycontin, Hydrocodone, Percocet, Vicodin, etc.</i> )	97.0	1.6	0.4	0.4
Rx stimulant ( <i>Adderal, Ritalin, "study aids".</i> )	96.4	1.8	0.5	0.5
Rx sedative ( <i>Xanax, Valium, etc.</i> )	97.2	0.9	0.4	0.5

# Mahoning County DOY & Public Schools 11<sup>th</sup> Grade PEP 2014 n=1339

<b>HOW MUCH do you think people hurt themselves when they...</b>	Not at all %	A little %	Some %	A Lot %	Don't Know %
Smoke a tobacco cigarette or cigar	5.4	11.8	24.6	54.8	2.6
Use smokeless tobacco	7.2	20.6	30.0	36.9	4.5
Drink alcohol (beer, wine, liquor) <i>[Do not include religious use.]</i>	8.0	26.1	32.6	30.1	2.4
Use marijuana (pot, grass, blunt, reefer, hash)	21.1	20.7	21.0	32.9	3.3
Sniff or inhale something to get high	4.7	7.1	16.7	66.0	4.4
Use heroin	3.9	1.4	3.0	85.7	4.9
Use a prescription medication prescribed to someone else::					
Rx pain medication ( <i>Oxycontin, Hydrocodone, Percocet, Vicodin, etc.</i> )	5.6	7.0	19.9	58.3	8.0
Rx stimulant ( <i>Adderal, Ritalin, "study aids".</i> )	7.4	9.8	20.5	53.0	7.8
Rx sedative ( <i>Xanax, Valium, etc.</i> )	5.5	7.2	21.1	55.6	8.8

<b>HOW WRONG do your friends feel it would be for you to:...</b>	Not at all wrong %	A little bit wrong %	Wrong %	Very Wrong %
Smoke tobacco cigarette or cigar	22.9	23.4	25.1	28.1
Use smokeless tobacco	23.5	22.7	24.3	28.6
Have one or two drinks of an alcoholic beverage nearly every day	17.7	20.6	29.5	31.3
Use marijuana	26.3	18.8	21.7	32.5
Sniff or inhale something to get high	7.2	9.7	30.5	51.8

<b>HOW WRONG do your friends feel it would be for you to:...</b>	Not at all wrong %	A little bit wrong %	Wrong %	Very Wrong %
Use heroin	3.7	2.0	13.1	80.2
Use a prescription medication prescribed to someone else:				
Rx pain medication ( <i>Oxycontin, Hydrocodone, Percocet, Vicodin, etc.</i> )	7.5	8.6	26.4	56.5
Rx stimulant ( <i>Adderal, Ritalin, "study aids".</i> )	9.0	10.8	26.1	52.8
Rx sedative ( <i>Xanax, Valium, etc.</i> )	7.0	9.1	26.9	55.7

<b>I HAVE FRIENDS WHO:</b>	YES %	NO %
Smoke a tobacco cigarette or cigar	67.2	31.3
Use smokeless tobacco	56.3	42.2
Drink alcohol (beer, wine, liquor)? <i>[Do not include religious use.]</i>	81.4	17.2
Use marijuana (pot, grass, blunt, reefer, hash)	67.4	31.0
Sniff glue or inhale something else to get high	14.4	84.1
Use heroin	6.65	91.6
Use a prescription pain reliever prescribed to someone else ( <i>Oxycontin, etc.</i> )	18.2	80.1
Use a prescription stimulant prescribed to someone else ( <i>Adderal, "study aids", etc.</i> )	23.8	74.5
Use a prescription sedative prescribed to someone else ( <i>Xanax, etc.</i> )	17.9	80.4

# Mahoning County DOY & Public Schools 11<sup>th</sup> Grade PEP 2014 n=1339

<b>HOW OLD WERE YOU when you first:</b>	Never Used %	10 or less %	11 years %	12 years %	13 years %	14 years %	15 years %	16 years %	17 or older %
Smoked a tobacco cigarette or cigar	68.0	1.2	1.3	3.1	3.7	4.6	6.6	7.5	3.0
Used smokeless tobacco	82.4	0.3	0.5	1.1	1.6	2.9	3.8	4.3	1.6
Drank alcohol?	43.0	4.0	1.3	2.5	6.1	7.3	14.0	15.2	4.6
Used marijuana	73.8	0.6	0.5	1.2	2.8	4.5	5.9	6.7	1.9
Sniffed or inhaled something to get high	94.9	0.8	0.2	0.3	0.7	0.4	0.4	0.4	0.2
Used heroin	97.8	0.8	0.1	0.0	0.1	0.0	0.1	0.0	0.2
Use a prescription medication that was not prescribed to you:									
Rx pain medication ( <i>Oxycontin, etc.</i> )	93.0	0.5	0.2	0.2	0.2	0.5	1.5	1.9	0.5
Rx stimulant ( <i>Adderal, "study aids".</i> )	92.4	0.5	0.1	0.1	0.5	0.8	1.5	2.2	0.5
Rx sedative ( <i>Xanax, Valium, etc.</i> )	94.0	0.4	0.1	0.1	0.3	0.7	1.4	1.2	0.4

<b>IN THE PAST 30 DAYS, how often have you been at homes where parents permitted students to:</b>	None %	Once %	2 times %	3-5 times %	6-10 times %	11-15 times %	16-25 times %	Almost every day %
Smoke a tobacco cigarette or cigar	81.0	5.1	2.5	3.1	0.8	0.8	0.8	4.7
Use smokeless tobacco	83.7	4.0	2.2	2.5	0.6	0.8	0.7	3.8
Drink alcohol	70.0	9.9	5.6	6.4	2.5	0.8	0.8	2.6
Use marijuana	87.0	3.7	2.0	1.6	0.7	0.5	0.4	2.5
Sniff or inhale something to get high	96.3	0.8	0.5	0.2	0.1	0.2	0.0	0.8
Use heroin	97.6	0.2	0.0	0.1	0.2	0.0	0.0	0.7
Use a prescription medication that was not prescribed to that student::								
Rx pain medication ( <i>Oxycontin, etc.</i> )	95.5	1.2	0.4	0.4	0.2	0.2	0.1	0.5
Rx stimulant ( <i>Adderal, "study aids".</i> )	95.7	0.9	0.5	0.3	0.3	0.2	0.1	0.6
Rx sedative ( <i>Xanax, Valium, etc.</i> )	96.0	0.8	0.4	0.2	0.4	0.2	0.1	0.6

<b>IN THE LAST 90 DAYS have you:</b>	Never %	Once %	A Few Times %	Regularly %
Skipped school	63.9	17.3	15.9	1.6
Skipped homework assignments	34.0	18.3	37.1	9.6
Been suspended from school	94.9	2.2	1.3	0.2
Been picked on or bullied at school	80.1	6.4	8.7	3.6
Been in a fight	91.1	4.0	3.1	0.8
Carried a weapon	91.1	1.8	2.5	3.3
Been in legal trouble	94.3	3.0	1.0	0.5
Stolen something	91.0	4.7	2.4	0.8
Damaged someone's property	90.1	5.3	2.5	0.7
Lied about something important	69.9	13.6	11.5	3.4
Been involved with a gang	95.1	0.8	1.0	1.9

<b>PLEASE DESCRIBE how often these statements are true for your school:</b>	Strongly Agree %	Agree %	Can't Decide %	Disagree %	Strongly Disagree %
I have a positive attitude toward school.	23.5	40.5	14.0	12.4	8.4
I am performing to the best of my ability.	30.0	41.2	12.3	12.3	2.8
I like the challenge of learning new things.	31.1	40.5	15.9	7.9	3.2
I feel close to people in my school.	24.3	35.4	17.0	13.4	8.3
I feel safe in my school.	26.4	41.5	15.6	7.7	7.0
I have a trusted adult I can go to with my problems.	42.6	31.1	12.0	6.1	6.7